
3601 - 'Monarque' Single Hole Basin Mixer


6 1/4" 7 1/4" 7 7/8" 0 2 1/2" Body Installation Hole Ø 1 3/8" ↓ ↓
Technical Information
 NSF / ANSI 61 & 372 / ASME A112.18.1 / CSA B125.1 / CEC AB1953 / WATERSENSE certified. Uses Flühs ceramic cartridges. Includes 1 ¼" drain assembly. Requires 1 3/8" hole drilling. Swiveling spout. 6 ¼" spout projection.

- Maximum flow rate is 1.2 GPM / 5.45 L / mn with new low flow restrictor.
- Available finishes are French Weathered Brass (47), Polished Chrome (48), SoliBrass (49), Lacquered Matte Black Nickel (50), Old Gold (52), Old Silver (53), Polished Brass (55), Polished Nickel (56), Brushed Nickel (57), Satin Nickel (60), Antique Lacquered Copper (67), Antique Lacquered Brass (68), Weathered Brass (70), Lacquered Polished Black Nickel (71) and Lacquered Polished Copper (80).
- Please See Cleaning Instructions: <u>http://herbeau.com/CleaningAll.pdf</u> For Finish Care and Maintenance Information.

Part #	Description
01	Monarque Top Knob
02	Finished Washer
03	Monarque Spout 6 ¹ / ₄ "
04	Aerator Washer
05	Aerator Filter
06	Aerator Cover
07	Spout O-Ring
08	Upper Body – Ecobrass
09	Base – Ecobrass
10	¹ / ₂ Turn Ceramic
	Cartridge – Ecobrass
11	Finished Cartridge Cover
12	Handle Stem
13	Monarque Handle Center
14	Monarque Horizontal
	Handle Stem
15	Monarque Insert Holder
16	Ceramic Insert
17	Rubber O-Ring
18	Threaded Mounting Rod
18	Extended Threaded
1.0	Mounting Rod
19	Escutcheon
20	Flat Rubber Washer
21	Brass Horseshoe
22	Brass Hex Nut
23	12" X 3/8" Flexible Hose
22	With O-Ring
23	30" X 3/8" Flexible Hose
24	With O-Ring
24	Monarque Pop-Up Rod Knob
25	Finished Pop-Up Rod
26	Pop-Up Assembly Only
20 27	Handle Screw
28	Rubber Horseshoe
20	Washer
29	Horizontal Pop-Up Rod
	Only
30	Connectors For Pop-Up
00	Assembly Rod
91	Monarque Insert
	Assembly
92	Monarque Handle
	Assembly
	1 100011101 y







Copyright©2017 Herbeau Creations. All rights reserved. All product and specifications are subject to change without notice. Herbeau Creations is not responsible for typographical and/or dimensional errors. Typographical errors are subject to correction.