



## 230.7000 | Single Output Shower W/ Rain Head





#### **COMPONENTS**

RHW.7C
230.4000VT
TVH.2693
TWH.2693
TWH.2693<

#### SHOWER VALVE:

- Thermostatic shower valve
- Valve includes service stops
- Turn bottom handle to set temp.
- Top handle controls water volume

#### **SHOWER HEAD:**

- ABS construction
- 1.8 GPM flow rate

#### STANDARDS:


• ASME A112.18.1 / CSA B125.1

See individual component specification sheets on following pages for further details.





### RHW.7C | 7" Brass Shower Head With 8" Wall Mount Shower Arm



#### SPECIFICATIONS:

- Solid Brass construction
- With Swivel action
- Shower arm has sliding flange

#### STANDARDS:

• ASME A112.18.1 / CSA B125.1


**Legislation Compliance** 



ZeroDrip Technology




#### **Technical Diagram**





## 230.4000VT | Vertical Thermostatic Shower Trim



#### **SPECIFICATIONS:**

- Solid Brass Construction
- Trim Only Valve Not IncludedTurn bottom handle to control temperature
- Turn top handle to control volume

Belgian Mirror Finish




**Legislation Compliance** 




ZeroDrip Technology



#### **Technical Diagram**










## **Universal Fixtures** ™

# TVH.2693 | 3/4" Horizontal Thermostatic Valve With Volume Control - For Tub or Shower Applications





#### **SPECIFICATIONS:**

- Solid Brass construction
- Single output
- Left handle controls temperature
- Right handle controls volume
- Use in tub filler or shower applications
- Thermostatic Valve Flow Rate 8.0 GPM @ 60 PSI
- Extension Available TVH.4101E\*\*

#### STANDARDS:

• ASME A112.18.1 / CSA B125.1

Legislation Compliance ZeroDrip Technology

